



-299/14

=

=

—

:

I 3

II 4

III 4

IV 5

V
 75. 76. . 77. 10

VI 15

VII O 26

VIII 29

IX 46

K

-(), -299/14

J

" "

29,
: www.gsp.co.rs

55 , 57., 60. (, " 124/12)
29

(: 50413200 -)

1.	50413200 -	() *	2
2.	50413200 -	()	100

(. 75.)

(. 76.)

77. 1.

29, 11000

a www.gsp.co.rs.

(

.),

email

4087

-299/14",

29, 11000
e-mail nabavke@gsp.co.rs

011/366-

7-16

07 15

K

-(), -299/14

« :
- - 18.02.2015. 12,00
-299/14».

e-mail).

18.02.2015. 11,30
29, 11000

18.02.2015. 12,00
29, 11000

).

25

30

II

1.

" " :
: 29,
: www.gsp.co.rs
: SR100049398
: 07022662
: 60212

2.

32.

3.

4.

5.

: nabavke@gsp.co.rs,

III

1.	50413200 –	() *	2
2.	50413200 –	()	100

-
-
- ()
- ()
- ()
- ()
- ()

1. " "

- BC 216-2 Labor Strauss (40)

- (94)

- (180)

- (41)

- (67)

- (5)

2. " " " "

- BC 216-2 Labor Strauss (128)

- -1 (66)

- -0311-3 (100)

- -1 (7)

- -1 (210)

- -2 (7)

- - (12)

- (85)

- (102)

- (26)

- " " (6)

- (24)

3. " "

- BC 216 Labor Strauss (17)
 - -0311-3 (39)
 - -5 10.13 (8)
 - " " 5-931/10 (34)
 - (23)
 - /24.1 (26)
 - -24 (2)

4.

"

" 6 (16) -
 (5)
 -1 (9)
 -1 (16)

5.

"

-16 (16)
 -48 (47)
 -1 (11)
 Beam Master 3 (2)
 -48-1 (29)
 -16 (1)
 -48-1 (9)

6.

"

" - " "

BC 216-2 Labor Strauss (16)
 System Sensor 2351E (27)
 0217 (8)
 03127 (2)

7.

"

" -

90 (2) -
 (4)
 (1)
 (1)

8.

"

"

" (4)
 48 (6)
 (8)
 (2)
 -10 (1)

B 216-2 Labor Strauss
1
- Loop Interface LIF128-1
- Conventional Detector Interface GIF8-1
FTB216-1
Optical Smoke Detector/300 2351E + Detector Base B401
-
Optical-Thermal Detector/300 2351TEM + Detector Base B401
Thermal RoR Detector/300/A1R 5351E + Detector Base B401
Manual Call Point/Red/Conventional HFM/3/11/02 + Protection Kit IP54 for MCP HFM/HM-ZS-IP54
-
Module 2xSurv.In 1xRel.Out/200AP M221E
Conventional Zone Module/200AP M210E-
CZR
LED
IP65/106dB/-25°C do +70°C/ 32 tona
-0311-3
'' ''
/24.1
Beam Master 3
-48-1
-10
12V 18 h
System Sensor 2351E
HORING AH0217
HORING AH-03127-
()
HORING AH-0316-3
Optical Smoke Detector/Conventional IS SLR-E-IS + Detector Base/Conv/Ex YBN-R/4IS
Thermal Max Detector/Orbis/A1S/IS HT-51157 + Detector Base/Orbis/IS MB-50018
HORING AH-0315-3
FI 600
FI 600

-
-

•

•

() , 100
()

•

() 7



•

•

•

•

10

•

•

a, a a

•

•

•

•

•

•

•

(), ... ()

•

•

(),

•

•

() (,)

V

75. 76.

. 77.

75.)

(. 77. ,

:

_____ :

1. je / /

2. / / / /

e,

e,

()

)

()

(

-).

3. / /

/ / /

K

-(), -299/14

()

4. / /

/ /

()

5. :

- 2. 4. 2 ()
18.12.2014.

- 3. (12.01.2015.),

78. 5. (124/12),

75. 1. 1)-4)

1. / /

e,

e,

2. / /

3. / /

K

-(), -299/14

• 1. 3. 2 ()
18.12.2014.

• 2. (12.01.2015.),

76.) (.

1. :

- 2011., 2012. 2013. -

2011., 2012. 2013.

_____ :
_____ :

-, (2011., 2012. 2013.),

_____ ()

_____ 6 -

_____ :

_____ :

1. (),

1.000.000,00
1.000.000,00

2.

5%

18.2.

5%

18.2.

1

3.

•

•

()

4.

(-) ()

2

-
-
-

): (

VI.

78. 5. (124/12),

1)-4)

75. 1. 1)-4)

77. 1.

(. 77),

5

75. 76.

79. 3.

VI

1.

1.1.

(. 75. 76.),
77. ,

1.2.

. 77

. 75. 76.

1.3.

. 79. . 3.

1.4.

1.5.

78. 5. (. 124/12),

75. 1. 1)-4)

1.6.

1.7.

1.8.

. 77

1.9.

1.

50%,

1.10.

1.11.

75. (1 4).

K

-(), -299/14

1.12. 77. 1. (1 4)

5.

1.13.

75. 10 %
1. 5.

1.14.

1.15.

1.16.

(1). ()
75. 1. 1. 4.
77. 76. 75. 1. 5.

1.17.

1.18.

1.19.

1.20.

1.21.

2.
2.1.

K

-(), -299/14

2.2.

2.3.

63. 2.

email

4087 «
nabavke@gsp.co.rs

5 ()
29, 11000
-299/14»,

+381 11 366
e-mail

2.4.

2.5.

2.6.

3.
3.1.

3.2.

(e)

3.3.

4.
4.1.

4.2.

4.3.

4.4.

(. 4.3), 87. 5.

4.5.

-299/14".

-299/14".

4.6.

).

5.

5.1.

5.2.

5

6.

6.1.

(

.)

7.

7.1.

7.2.

7.3.

8.

8.1.

. 93. 1.

()

8.2.

8.3.

8.4.

8.5.

9.

9.1.

92. 1.

9.2.

92. 3.

9.3.

9.2

5

9.4.

10.

10.1.

(2

l. 2)::

II.

III.

()

11.

11.1.

- (1)
- (2)
- (3)
- (4)
- (5)

11.2.

11.3.

- (6)
- (7)
- (8)
- (9)
- (10)

_____ ()

11.4.

11.5.

11.6.

12.

12.1.

12.2.

14.

13.

13.1.

(:)

13.2.

13.3.

7 ()

K

-(), -299/14

13.4.

10 ()

13.5.

13.6.

149. 3.

13.7.

13.8.

13.9.

13.10.

2.

112.

13.11.

151.

13.12.

151. 1.

13.13.

151. 2.

13.14.

151. 3.

13.15.

156.

: 840-742221843-57

- 80.000

80.000.000 ;

- 0,1 %

: 253; : 97;

80.000.000

: 97 50-016; :
-299/14;

13.16.

www.kjn.gov.rs.

14.

14.1.

20%

a

. 86. 3.

14.2.

14.3.

15.

15.1.

-
-
-

75. 76.

15.2.

()

« ».

15.3.

15.4.

15.5.

15.6.

15.7.

15.8.

15.9.

15.10.

16.

16.1.

16.2.

()

16.3.

(), a

(5 7

).

16.4.

17.

17.1.

17.2.

17.3.

17.4.

17.5.

18.

18.1.

18.2.

18.3.

-
-
-
-
-

. 36. 1. . 3)
 . 39. 6.

18.4.

18.5.

18.2.,

18.6.

. 18.2.,

19.

19.1.

19.2.

19.3.

19.4.

5% 3
(- /)
x
().

19.5.

20.

20.1.

20.2.

21.

21.1. 82. (124/12),

- 1) . 23. 25.
- 2) ;
- 3) ;
- 4) ;

21.2.

- 1) ;
- 2) ;
- 3) ;
- 4) ;
- 5) ;
- 6) ;
- 7) ;

21.3.

(21.2. 2. 1)
)

21.4.

22.

22.1.

(,), / ,

K

-(), -299/14

29, 11000

+381 11 366-

4087.

23.
23.1.

(

..)

23.2.

3

23.3.

24.
24.1.

x

24.2.

24.3.

**10%

10 ()

A

3

10%

10 ()

()

K

-() , -299/14

),

(

**

15%

VII

O

1-8

1)

/ / - 1
/ / - 1.

1 ()
) 1 () (1 -
)
, () 1

1)

2)

3)

4)

5)

6)

2)

- 2 ()
) - 2. ()
()
()
)

-a.

)

45

45

45

)

() 15

1

2

7

)

()

30

()

)

1

24

12

3)

-

3

(3)

11.

(. 29/13).

3,

115.

1.

(

).

-

-

-

/

,

,

,

...

).

-

- (

) -

4,

3

-

-

- (

5,

) -

6,

-

-

- (

7,

-

-

-

8.

3

3.

4)

3

-

4

4,

4

5)

-

5

5.

6)

- () - 6

(6) -

:

()

()

5%

7)

- 7

7.

()

7

8)

B - 8

(1),

(4),

B

()

VIII

/ /	1
-----	---

(, ,)	
/	
(...)	
...), (, ,)	
(...)	
∴ (" "),	
(1 ...)	

|--|--|

:

	2 1/3
--	----------

(,)		
	-	-
-		
:		

*

B 216-2 Labor	
Strauss	
1	
- Loop Interface LIF128-1	
- Conventional	
Detector Interface GIF8-1	
FTB216-1	
Optical Smoke Detector/300 2351E + Detector Base B401	
-	
Optical-Thermal Detector/300 2351TEM + Detector Base B401	
Thermal RoR Detector/300/A1R 5351E + Detector Base B401	
Manual Call Point/Red/Conventional HFM/3/11/02 + Protection Kit IP54 for MCP HFM/HM-ZS-IP54	
-	
Module 2xSurv.In 1xRel.Out/200AP M221E	
Conventional Zone Module/200AP M210E-CZR	

	2 2/3
--	----------

LED	
IP65/106dB/-25°C do +70°C/ 32 tona	
-0311-3	
„ ”	
/24.1	
Beam Master 3	
-48-1	
-10	
12V 18 h	
System Sensor	
2351E	
HORING AH0217	
HORING AH-03127-	
(
HORING AH-0316-3	
Optical Smoke Detector/Conventional IS SLR-E-IS + Detector Base/Conv/Ex YBN-R/4IS	
Thermal Max Detector/Orbis/A1S/IS HT-51157 + Detector Base/Orbis/IS MB-50018	
HORING AH-	
0315-3	
FI 600	
FI 600	

2	()	100		

	2 3/3
--	----------

--	--

1 () :	
2	

--	--

1	
---	--

1	
---	--

--	--

2.

1.
2.
3.
4.
5.
6.
7.

	3
--	---

1	2	3				4	5	6	7	8

	4
--	---

():

		() ⁻	() ⁻
(-):			
(-):			

:

		() ⁻	() ⁻
(-):			
(-):			

: 88.

	5
--	---

B

82. 1. 2.

K

-(), . -299/14

-	6
---	---

, 1, 2 6

:	
:	
:	
:	

- -

:" , , 29 (:)

() 5%

:- ()-(, . -299/14.

5% " ,

," , 29, .

-

-

-

-

	7
--	---

-

-

-

()

:

().

	8
--	---

B

1. _____, (/), (),
 _____ (/), ()
 (:), ()

..... ()
 ()
 ()

2. _____ 29, _____ " " ,
 _____ (:), _____ " " ,

_____ : _____ - ()-(, -299/14

31.12.2014.

XIV-/_/___ .2014.

1.

XIV-/_/___ .2014.

-299/14

31.12.2014.

2.

1 (),

2 (),

48

()

(,),

()

(,),

-
- () (,) ,

4.

XIV-__/_ __.__.2014.

(,)		
	-	-
:		

*

Strauss	B 216-2 Labor
1	
- Loop Interface LIF128-1	
	- Conventional
Detector Interface GIF8-1	
	FTB216-1
Optical Smoke Detector/300 2351E + Detector Base B401	
-	
Optical-Thermal Detector/300 2351TEM + Detector Base B401	
Thermal RoR Detector/300/A1R 5351E + Detector Base B401	

K

-(), -299/14

Manual Call Point/Red/Conventional HFM/3/11/02 + Protection Kit IP54 for MCP HFM/HM-ZS-IP54	
Module 2xSurv.In 1xRel.Out/200AP M221E	
Conventional Zone Module/200AP M210E-CZR	

LED	
IP65/106dB/-25°C do +70°C/ 32 tona	
-0311-3	
" "	
/24.1	
Beam Master 3	
-48-1	
-10	
12V 18 h	
System Sensor	
2351E	
HORING AH0217	
HORING AH-03127-	
(
HORING AH-0316-3	
Optical Smoke Detector/Conventional IS SLR-E-IS + Detector Base/Conv/Ex YBN-R/4IS	
Thermal Max Detector/Orbis/A1S/IS HT-51157 + Detector Base/Orbis/IS MB-50018	
HORING AH-	
0315-3	
FI 600	
FI 600	

698.578,80

2	()	100		

_____, (: _____) : _____)

5.

3

5%

$$- \left(\frac{-}{x} \right)$$

()

$$- / =$$

10

6.

7.

1 ()

)

1.

()

3.

10%

10 ()

A

1.

3

10%

10

7.

5.

()

K

-(), -299/14

(),

8.

:

3. 3

9.

2.

4

5%

1 %

10.

1

10

11.

7.

12.

13.

14.

15.

5 ()

7 ()

2 (),

:

IX

.46/96), (. . 104/46, . . 16/65, 54/70 57/89, .
 (" . " . 3/2002), (. . 29/02 30/02)
 .34/02, ' 43/04)

:
 : _____
 : _____
 : _____
 : _____

: JK " "
 : . 29,
 : 07022662
 : 100049398
 : 105-500122-59

0

:
